#### FURTHER MATHEMATICS/MATHEMATICS (ELECTIVE)

#### **AIMS OF THE SYLLABUS**

The aims of the syllabus are to test candidates'

- (i) development of further conceptual and manipulative skills in Mathematics;
- (ii) understanding of an intermediate course of study which bridges the gap between Elementary Mathematics and Higher Mathematics;
- (iii) acquisition of aspects of Mathematics that can meet the needs of potential Mathematicians, Engineers, Scientists and other professionals.
- (iv) ability to analyse data and draw valid conclusion
- (v) logical, abstract and precise reasoning skills.

#### **EXAMINATION SCHEME**

There will be two papers, Papers 1 and 2, both of which must be taken.

**PAPER 1**: will consist of forty multiple-choice objective questions, covering the entire syllabus. Candidates will be required to answer all questions in  $1\frac{1}{2}$  hours for 40 marks. The questions will be drawn from the sections of the syllabus as follows:

Pure Mathematics	-	30 questions
Statistics and probability	-	4 questions
Vectors and Mechanics	-	6 questions

- **PAPER 2:** will consist of two sections, Sections A and B, to be answered in  $2\frac{1}{2}$  hours for 100 marks.
- Section A will consist of eight compulsory questions that areelementary in type for 48 marks. The questions shall be distributed as follows:

Pure Mathematics	-	4 questions
Statistics and Probability	-	2 questions
Vectors and Mechanics	-	2 questions

Section B will consist of seven questions of greater length and difficulty put into three parts:Parts I, II and III as follows:

Part I: Pure Mathematics - 3 questions

Part II:	Statistics and Probability	-	2 questions
----------	----------------------------	---	-------------

Part III: Vectors and Mechanics - 2 questions

Candidates will be required to answer four questions with at least one from each part for 52 marks.

#### DETAILED SYLLABUS

In addition to the following topics, more challenging questions may be set on topics in the General Mathematics/Mathematics (Core) syllabus.

In the column for CONTENTS, more detailed information on the topics to be tested is given while the limits imposed on the topics are stated under NOTES.

Topics which are marked with asterisks shall be tested in Section B of Paper 2 only.

### KEY:

\* Topics peculiar to Ghana only.

\*\* Topics peculiar to Nigeria only

Topics	Content	Notes
I. Pure Mathematics		
(1) Sets	(i) Idea of a set defined by a property, Set notations and their	(x : x is real), ∪, ∩, { },∉, ∈, ⊂, ⊆,
	meanings. (ii) Disjoint sets, Universal set and complement of set	U (universal set) and A' (Complement of set A).
	<ul> <li>(iii) Venn diagrams, Use of sets</li> <li>And Venn diagrams to solve</li> <li>problems.</li> </ul>	More challenging problems involving union, intersection, the universal set, subset and complement of set.
	(iv) Commutative and Associative laws, Distributive properties over union and intersection.	Three set problems. Use of De Morgan's laws to solve related problems
(2) Surds	Surds of the form $\frac{a}{\sqrt{b}}$ , $a\sqrt{b}$ and $a+b\sqrt{n}$ where a is rational, b is a positive integer and n is not a	All the four operations on surds Rationalising the denominator of surds such as $\frac{a}{\sqrt{b}}$ , $\frac{a+\sqrt{b}}{c-\sqrt{d}}$ ,

	perfect square.	$\frac{a+\sqrt{b}}{\sqrt{c}-\sqrt{d}}$ .
(3) Binary Operations		$\sqrt{c} - \sqrt{d}$
(4) Locial Decembra	Properties: Closure, Commutativity, Associativity and Distributivity, Identity elements and inverses.	Use of properties to solve related problems.
(4) Logical Reasoning	<ul> <li>(i) Rule of syntax: true or false statements, rule of logic applied to arguments, implications and deductions.</li> </ul>	Using logical reasoning to determine the validity of compound statements involving implications and connectivities. Include use of symbols: $\sim P$ $p \lor q, p \land q, p \Rightarrow q$
	(ii) The truth table	Use of Truth tables to deduce conclusions of compound
(5) Functions	(i) Domain and co-domain of a function.	statements. Include negation. The notation e.g. $f: x \rightarrow$ 3x+4;
	(ii) One-to-one, onto, identity and constant mapping;	$g: x \to x^2$ ; where $x \in \mathbf{R}$ .
	(iii) Inverse of a function	Graphical representation of a function ; Image and the range.
	(iii) Inverse of a function.	Determination of the inverse of a one-to-one function e.g. If
	(iv) Composite of functions.	f: $x \rightarrow sx + \frac{4}{3}$ , the inverse relation f <sup>1</sup> : $x \rightarrow \frac{1}{3}x - \frac{4}{9}$ is also a function.
(6) Polynomial		Notation: $f_{og}(x) = f(g(x))$ Restrict to simple algebraic
(6) Polynomial Functions	(i) Linear Functions, Equations and	functions only.
	Inequality	Recognition and sketching of graphs of linear functions and equations. Gradient and intercepts forms of linear equations i.e. ax + by + c = 0; y = mx + c; $\frac{y}{a} + \frac{x}{b} = k$ . Parallel and Perpendicular lines. Linear

(ii) Quadratic Functions	Inequalities e.g. $2x + 5y \le 1$ , $x + 3y \ge 3$ Graphical representation of linear inequalities in two variables. Application to Linear Programming.
(ii) Quadratic Functions, Equations and Inequalities	Recognition and sketching graphs of quadratic functions e.g. f: $x \rightarrow ax^2 + bx + c$ , where a, b and $c \in R$ . Identification of vertex, axis of symmetry, maximum and minimum, increasing and decreasing parts of a parabola. Include values of x for which f(x) > 0 or $f(x) < 0$ . Solution of simultaneous equations: one linear and one quadratic. Method of completing the squares for solving quadratic equations. Express $f(x) = ax^2 + bx + c$ in the form $f(x) = a(x + d)^2 + k$ , where k is the maximum or minimum value. Roots of quadratic equations – equal roots $(b^2 - 4ac = 0)$ , real and unequal roots $(b^2 - 4ac > 0)$ , imaginary roots $(b^2 - 4ac < 0)$ ; sum and product of roots of a quadratic equation e.g. if the roots of the equation $3x^2$ $+ 5x + 2 = 0$ are $\alpha$ and $\beta$ , form the equation whose roots are $\frac{1}{\alpha}$ and $\frac{1}{\beta}$ . Solving quadratic inequalities.
(ii) Cubic Functions and Equations	Recognition of cubic functions e.g. f: $x \rightarrow ax^3 + bx^2 + cx + d$ . Drawing graphs of cubic functions for a given range. Factorization of cubic expressions and solution of cubic equations. Factorization of $a^3 \pm b^3$ . Basic operations on polynomials, the remainder

(7) Rational Functions		and factor theorems i.e. the remainder when $f(x)$ is divided by $f(x - a) = f(a)$ . When $f(a)$ is zero, then $(x - a)$ is a factor of f(x).
	(i) Rational functions of the form $Q(x) = \frac{f(x)}{g(x)}, g(x) \neq 0.$ where g(x) and f(x) are polynomials. e.g. $f:x \rightarrow \frac{ax+b}{px^2+qx+r}$	g(x) may be factorised into linear and quadratic factors (Degree of Numerator less than that of denominator which is less than or equal to 4). The four basic operations. Zeros, domain and range, sketching not required.
	(ii) Resolution of rational functions into partial fractions.	
(8) Indices and Logarithmic Functions	(i) Indices (ii) Logarithms	Laws of indices. Application of the laws of indices to evaluating products, quotients, powers and nth root. Solve equations involving indices.
		Laws of Logarithms. Application of logarithms in calculations involving product, quotients, power (log $a^n$ ), nth roots (log $\sqrt{a}$ , log $a^{1/n}$ ). Solve equations involving logarithms (including change of base). Reduction of a relation such as $y = ax^b$ , (a,b are constants) to a linear form: $log_{10}y = b \ log_{10}x + log_{10}a$ .

(9) Permutation And Combinations.		Consider other examples such as log $ab^x = log a + x log b;$ log $(ab)^x = x(log a + log b)$ = x log ab *Drawing and interpreting graphs of logarithmic functions e.g. $y = ax^b$ . Estimating the values of the constants a and b from the graph
	(i) Simple cases of arrangements	
(10) Binomial	(ii) Simple cases of selection of objects.	Knowledge of arrangement and selection is expected. The notations: ${}^{n}C_{r}$ , $\binom{n}{r}$ and ${}^{n}P_{r}$ for selection and arrangement respectively should be noted and used. e.g. arrangement of students in a row, drawing balls from a box with or without replacements. ${}^{n}p_{r} = \frac{n!}{(n-r)!}$
Theorem	Expansion of $(a + b)^n$ . Use of $(1+x)^n \approx 1+nx$ for any rational n, where x is sufficiently small. e.g $(0.998)^{1/3}$	r!(n-r)! Use of the binomial theorem for positive integral index only. Proof of the theorem <b>not</b>
(11) Sequences and Series	(i) Finite and Infinite sequences.	required.
	<ul> <li>(ii) Linear sequence/Arithmetic Progression (A.P.) and Exponential sequence/Geometric Progression (G.P.)</li> <li>(iii) Finite and Infinite series.</li> </ul>	e.g. (i) $u_1$ , $u_2$ ,, $u_n$ . (ii) $u_1$ , $u_2$ , Recognizing the pattern of a sequence. e.g. (i) $U_n = U_1 + (n-1)d$ , where d is the common difference. (ii) $U_n = U_1 r^{n-1}$ where r is the common ratio.
	(iv) Linear series (sum of A.P.) and	(i) $U_1 + U_2 + U_3 + + U_n$ (ii) $U_1 + U_2 + U_3 +$

Γ	exponential series (sum of	(i) $\mathbf{C} = \frac{n}{(11+11)}$
	G.P.)	(i) $S_n = \frac{n}{2}(U_1+U_n)$ (ii) $S_n = \frac{n}{2}[2a + (n - 1)d]$
		(iii) $S_n = U_1(1-r^n) , r < 1$
		(iv) $S_n = \frac{U_1(r^n-1)}{r-1}$ , r>l.
		(v) Sum to infinity (S) =
	*(v) Recurrence Series	<sup>1-r</sup> r < 1
(12)Matrices and Linear Transformation		Generating the terms of a recurrence series and finding an explicit formula for the sequence e.g. $0.9999 = \frac{9}{10} + \frac{9}{10^2} + \frac{9}{10^3} + \frac{9}{10^4} + \dots$
	(i) Matrices	$\overline{10} + \overline{10^2} + \overline{10^3} + \overline{10^4} + \dots$
	(ii) Determinants	Concept of a matrix – state the order of a matrix and indicate the type. Equal matrices – If two matrices are equal, then their corresponding elements are equal. Use of equality to find missing entries of given matrices Addition and subtraction of matrices (up to 3 x 3 matrices). Multiplication of a matrix by a scalar and by a matrix (up to 3 x 3 matrices)
		Evaluation of determinants of 2 x 2 matrices. **Evaluation of determinants of 3 x 3 matrices.
	(iii) Inverse of 2 x 2 Matrices	Application of determinants to solution of simultaneous linear equations.
	(iv) Linear Transformation	e.g. If A = $\begin{pmatrix} a & b \\ c & d \end{pmatrix}$ , then

	1	
		$A^{-1} = \frac{1}{ad-bc} \frac{d}{-b} \begin{pmatrix} -b \\ a \end{pmatrix}$
		aa-bc-c a)
		Finding the images of points
		under given linear
		transformation
		Determining the matrices of
		given linear transformation.
		Finding the inverse of a linear
		transformation (restrict to 2 x
		2 matrices).
		Finding the composition of
		linear transformation.
		Recognizing the Identity
		transformation.
		(i) $\begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$ reflection in the
		$(1) \begin{bmatrix} 0 & -1 \end{bmatrix}$ reflection in the
		x - axis
		(ii) $\begin{pmatrix} -1 & 0 \\ 0 & 1 \end{pmatrix}$ reflection in the
		y - axis
		(iii) $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$ reflection in the line
		y = x (iv) $\begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix}$ for anti-
		$(iv)$ $\sin\theta$ $\cos\theta$ pranti-
		clockwise rotation through $\theta$
		about the origin.
		$(\cos 2\theta \sin 2\theta)$
		$(V)$ $sin2\theta$ $-cos2\theta$ , the
		general matrix for reflection in
(13)Trigonometry		a line through the origin
		making an angle $\theta$ with the
		positive x-axis.
		*Finding the equation of the
	(i) Trigonometric Ratios and Rules	image of a line under a given
		linear transformation
		Sine, Cosine and Tangent of
		general angles (0°≤θ≤360°).
		Identify trigonometric ratios of
		angles $30^{\circ}$ , $45^{\circ}$ , $60^{\circ}$ without
		use of tables.
		Use basic trigonometric ratios
		and reciprocals to prove given
		trigonometric identities.
		Evaluate sine, cosine and
		-
		tangent of negative angles.
		Convert degrees into radians

	(ii) Compound and Multiple Angles.	and vice versa. Application to real life situations such as heights and distances, perimeters, solution of triangles, angles of elevation and depression, bearing(negative and positive angles) including use of sine and cosine rules, etc, Simple cases only.
	(iii) Trigonometric Functions and Equations	sin (A $\pm$ B),cos (A $\pm$ B), tan(A $\pm$ B). Use of compound angles in simple identities and solution of trigonometric ratios e.g. finding sin 75°, cos 150°etc, finding tan 45° without using mathematical tables or calculators and leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to 3A).
(14)Co-ordinate Geometry		Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$ . f:x $\rightarrow$ sin x, g: x $\rightarrow$ a cos x + b sin x = c. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin x + bcos x = k. Solve trigonometric equations up to quadratic equations e.g. $2sin^2x - sin x - 3 = 0$ , for $0^\circ \le x \le 360^\circ$ .
	(i) Straight Lines	*Express $f(x) = a \sin x + b \cos x$ x in the form Rcos $(x \pm \alpha)$ or

		Rsin $(x \pm \alpha)$ for $0^{\circ} \le \alpha \le$ 90°and use the result to calculate the minimum and maximum points of a given functions. Mid-point of a line segment Coordinates of points which divides a given line in a given ratio. Distance between two points; Gradient of a line; Equation of a line: (i) Intercept form; (ii) Gradient form; Conditions for parallel and perpendicular lines. Calculate the acute angle between two intersecting lines
	(ii) Conic Sections	e.g. if $m_1$ and $m_2$ are the gradients of two intersecting lines, then $\tan \theta = \frac{m_1 - m_2}{1 + m_1 m_2}$ . If $m_1 m_2 = -1$ , then the lines are perpendicular. *The distance from an external point P(x <sub>1</sub> , y <sub>1</sub> ) to a given line ax + by + c using the formula $d =  \frac{ax_1 + by_1 + c}{\sqrt{a^2 + b^2}} $ .
		Loci of variable points which move under given conditions Equation of a circle: (i) Equation in terms of centre, (a, b), and radius, r, $(x - a)^2+(y - b)^2 = r^2$ ; (ii) The general form: $x^2+y^2+2gx+2fy+c = 0$ , where (-g, -f) is the centre and
(15)Differentiation		radius, $r = \sqrt{a^2 + b^2 - c}$ . Tangents and normals to circles Equations of parabola in rectangular Cartesian

	(i) The idea of a limit	coordinates ( $y^2 = 4ax$ , include
	(ii) The derivative of a function	parametric equations (at <sup>2</sup> , at)). Finding the equation of a tangent and normal to a parabola at a given point. *Sketch graphs of given parabola and find the equation of the axis of symmetry.
	(iii)Differentiation of polynomials	(i) Intuitive treatment of limit. Relate to the gradient of a curve. e.g. $f^{I}(x) =$
	(iv) Differentiation of trigonometric Functions	lim $\frac{f(x+h) - f(x)}{h}$ . (ii) Its meaning and its
	(v) Product and quotient rules. Differentiation of implicit functions such as $ax^2 + by^2 = c$	determination from first principles (simple cases only). e.g. $ax^n + b$ , $n \le 3$ , $(n \in I)$
	**(vi) Differentiation of Transcendental Functions	e.g. $ax^m - bx^{m-1} + \dots + k$ , where $m \in I$ , k is a constant. e.g. sin x, y = a sin x $\pm$ b cos
	<ul> <li>(vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima</li> </ul>	x. Where a, b are constants. including polynomials of the form $(a + bx^n)^m$ .
(16)Integration		
		e.g. $y = e^{ax}$ , $y = \log 3x$ , $y = \ln x$
	(i) Indefinite Integral	(i) The equation of a tangent to a curve at a point.
		(ii) Restrict turning points to maxima and minima.
		(iii)Include curve sketching (up to cubic functions) and linear

		kinematics.
		(i) Integration of polynomials
	(ii) Definite Integral	of the form $ax^n$ ; $n \neq -1$ . i.e. $\int x^n dx = \frac{x^{n+1}}{n+1} + c$ , $n \neq -1$ .
<b>II</b> . Statistics and Probability (17)Statistics	(iii) Applications of the Definite	<ul> <li>(ii) Integration of sum and difference of polynomials.</li> <li>e.g. ∫(4x<sup>3</sup>+3x<sup>2</sup>-6x+5) dx</li> </ul>
	Integral	**(iii)Integration of polynomials of the form $ax^n$ ; n = -1. i.e. $\int x^{-1} dx = \ln x$
		Simple problems on integration by substitution. Integration of simple trigonometric functions of the form $\int_a^b \sin x  dx$ .
	(i) Tabulation and Graphical representation of data	<ul> <li>(i) Plane areas and Rate of Change. Include linear kinematics. Relate to the area under a curve.</li> </ul>
	(ii) Measures of location	(ii)Volume of solid of revolution
		(iii) Approximation restricted to trapezium rule.
	(iii) Measures of Dispersion	Frequency tables. Cumulative frequency tables. Histogram (including unequal class intervals). Cumulative frequency curve (Ogive) for grouped data.

(18)Probability	(iv)Correlation	Central tendency: mean, median, mode, quartiles and percentiles. Mode and modal group for grouped data from a histogram. Median from grouped data. Mean for grouped data (use of an assumed mean required). Determination of: (i) Range, Inter- Quartile and Semi inter-quartile range from an Ogive.
	(i) Meaning of probability.	<ul> <li>(ii) Mean deviation, variance and standard deviation for grouped and ungrouped data. Using an assumed mean or true mean.</li> </ul>
	(ii) Relative frequency.	Scatter diagrams, use of line
	<ul> <li>(iii) Calculation of Probability using simple sample spaces.</li> <li>(iv) Addition and multiplication of probabilities.</li> </ul>	of best fit to predict one variable from another, meaning of correlation; positive, negative and zero correlations,. Spearman's Rank coefficient. Use data without ties. *Equation of line of best fit by
	(v) Probability distributions.	least square method. (Line of regression of y on x).
		Tossing 2 dice once; drawing from a box with or without replacement.
III. Vectors and Mechanics		Equally likely events, mutually exclusive, independent and conditional events.
(19)Vectors		Include the probability of an event considered as the probability of a set.

(i) Definitions of scalar and vector Quantities.	(i) Binomial distribution
(ii) Representation of Vectors.	$P(x=r)={}^{n}C_{r}p^{r}q^{n-r}$ , where Probability of success = p,
(iii) Algebra of Vectors.	Probability of failure = $q$ , p + q = 1 and n is the number of trials. Simple problems only.
	**(ii) Poisson distribution P(x) = $\frac{e^{-\lambda}\lambda^x}{x!}$ , where $\lambda$ =
(iv) Commutative, Associative and Distributive Properties.	np, n is large and p is small.
(v) Unit vectors.	
	Representation of vector $\binom{a}{b}$ in the form a <b>i</b> + b <b>j</b> .
	Addition and subtraction, multiplication of vectors by vectors, scalars and equation of
(vi) Position Vectors.	vectors. Triangle, Parallelogram and polygon Laws.
	Illustrate through diagram, Illustrate by solving problems in
	elementary plane geometry e.g
(vii) Resolution and Composition of Vectors.	con-currency of medians and diagonals.
	The notation: <i>i</i> for the unit vector $\begin{bmatrix} 1\\ 0 \end{bmatrix}$ and
	$\boldsymbol{j}$ for the unit vector $\begin{bmatrix} 0\\1 \end{bmatrix}$
	along the x and y axes respectively. Calculation of

	(viii) Scalar (dot) product and its application.	unit vector (â) along a i.e. $\hat{a} = \frac{a}{ a }$ . Position vector of A relative to O is $\overrightarrow{OA}$ . Position vector of the midpoint of a line segment. Relate to coordinates of mid-point of a line segment. *Position vector of a point that divides a line segment internally in the ratio ( $\lambda : \mu$ ).
(20)Statics	<ul><li>**(ix) Vector (cross) product and its application.</li><li>(i) Definition of a force.</li></ul>	Applying triangle, parallelogram and polygon laws to composition of forces acting at a point. e.g. find the resultant of two forces (12N, 030°) and (8N, 100°) acting at a point. *Find the resultant of vectors by scale drawing.
	<ul> <li>(ii) Representation of forces.</li> <li>(iii) Composition and resolution of coplanar forces acting at a point.</li> <li>(iv) Composition and resolution of general coplanar forces on rigid bodies.</li> <li>(v) Equilibrium of Bodies.</li> <li>(vi) Determination of Resultant.</li> <li>(vii) Moments of forces.</li> </ul>	Finding angle between two vectors. Using the dot product to establish such trigonometric formulae as (i) Cos $(a \pm b) =$ cos a cos b $\mp$ sin a sin b (ii) sin $(a \pm b) =$ sin a cos b $\pm$ sin <i>b</i> cos <i>a</i> (iii) c <sup>2</sup> = a <sup>2</sup> + b <sup>2</sup> - 2ab cos C (iv) $\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$ .
(21)Dynamics	(viii) Friction.	

(i) The concepts of motion	
(ii) Equations of Motion	Apply to simple problems e.g. suspension of particles by strings.
	Resultant of forces, Lami's theorem
	Using the principles of moments to solve related problems.
	Distinction between smooth and rough planes. Determination of the coefficient of friction.
(iii) The impulse and momentum equations:	
**(iv) Projectiles.	The definitions of displacement, velocity, acceleration and speed. Composition of velocities and accelerations.
	Rectilinear motion. Newton's laws of motion. Application of Newton's Laws Motion along inclined planes (resolving a force upon a plane into normal and frictional forces). Motion under gravity (ignore air resistance). Application of the equations of motions: $V = u + at$ , $S = ut + \frac{1}{2} at^{2}$ ; $v^{2} = u^{2} + 2as$ .

	Conservation of Linear Momentum(exclude coefficient of restitution). Distinguish between momentum and impulse.
	Objects projected at an angle to the horizontal.

# 1. <u>UNITS</u>

Candidates should be familiar with the following units and their symbols.

### (1) Length

1000 millimetres (mm) = 100 centimetres (cm) = 1 metre(m). 1000 metres = 1 kilometre (km)

### (2) <u>Area</u>

10,000 square metres  $(m^2) = 1$  hectare (ha)

#### (3) <u>Capacity</u>

1000 cubic centimeters  $(cm^3) = 1$  litre (l)

# (4) <u>Mass</u>

1000 milligrammes (mg) = 1 gramme (g)

1000 grammes (g) = 1 kilogramme( kg )

1000 ogrammes (kg) = 1 tonne.

# (5) Currencies

The Gambia	-	100 bututs (b) = 1 Dalasi (D)
Ghana	-	100 Ghana pesewas (Gp) = 1 Ghana Cedi ( GH¢)
Liberia Nigeria Sierra Leone UK	- - -	100 cents (c) = 1 Liberian Dollar (LD) 100 kobo (k) = 1 Naira ( $\Re$ ) 100 cents (c) = 1 Leone (Le) 100 pence (p) = 1 pound (£)

USA-100 cents (c) = 1 dollar (\$)French Speaking territories100 centimes (c) = 1 Franc (fr)Any other units used will be defined.

# 2. OTHER IMPORTANT INFORMATION

### (1) Use of Mathematical and Statistical Tables

Mathematics and Statistical tables, published or approved by WAEC may be used in the examination room. Where the degree of accuracy is not specified in a question, the degree of accuracy expected will be that obtainable from the mathematical tables.

# (2) Use of calculators

The use of non-programmable, silent and cordless calculators is allowed. The calculators must, however not have a paper print out **nor be capable of receiving/sending any information. Phones with or without calculators are not allowed.** 

# (3) Other Materials Required for the examination

Candidates should bring rulers, pairs of compasses, protractors, set squares etc required for papers of the subject. They will **not** be allowed to borrow such instruments and any other material from other candidates in the examination hall.

Graph papers ruled in 2mm squares will be provided for any paper in which it is required.

# (4) Disclaimer

In spite of the provisions made in paragraphs 2 (1) and (2) above, it should be noted that some questions may prohibit the use of tables and/or calculators.